
ASCENT LINEAR PREMIUM

BLX42 | BLX46 | BLX56 | Direct vent gas fireplaces







The Ascent Linear Premium is a modern and sleek linear gas fireplace that combines customizable design options, optional heat management, and the unique feature of top lighting to illuminate the fire. With its elegant design and the choice of logs or glass, this fireplace adds a touch of sophistication to any space. Take control of the heat for optimal comfort while elevating your home with the Ascent Linear Premium.

Features

- A linear gas fireplace featuring lower heat output making it ideal for heating smaller spaces
- · Standard blower included
- · Upgraded premium safety barrier included
- Includes top lights for an illuminated effect

- Up to 28,000 BTUs
- · Warranty: President's Limited Lifetime
- Available sizes: 42", 46", 56"

Customize

Media (must choose one):







Birch logs



Oak logs



Glass beads (blue, amber, black, topaz, clear)



Glass embers (blue, amber, black, topaz, clear, red)

Glass beads and embers can be added to any log set

Optional enhancement kits:



Beach fire



Mineral rock



Woodland

Optional decorative panels:



MIRRO-FLAME porcelain reflective radiant panels



Ledgestone brick panels

Optional trim:



Adjustable 4pc 5/8" finishing trim for installations that require more coverage



FIREPLACE DESIGN STUDIO

See your dream fireplace come to life in front of your eyes! Scan here to build your custom fireplace with available design options.



Controls

eFIRE mobile app

Providing a more connected and convenient experience by controlling every setting right from your mobile device. This includes: on/off, flame height and blower speed, top light and more!

Included remote

Enhanced full-function remote controls every function of your fireplace including on/off, thermostat, flame, top lights, and blower speed.





Optional heat management

Universal Heat Management@ (UHM)

This system operates electricity-free and without blowers, utilizing a set of ducts to efficiently circulate heat throughout the room, rather than blowing it directly from the front of the fireplace. Additionally, the (UHM) system lowers clearances for combustibles and enables the safe installation of electronics above the fireplace.



Hot air distribution kit (LHAD)

Efficiently moves warm air from the fireplace to a different room or outdoors using flexible ducting.

Innovations

Battery back-up control

In the event of a loss of power, your fireplace will still light and keep you warm-requires 4 AA batteries (not included).

Direct vent

Effectively removes exhaust and fumes from your space, keeping your indoor air clean while also conserving energy.



Good Better Best Premium









Ascent Linear

Ascent Linear Premium

Vector

Luxuria

Dimensions			
Model No.	Width	Height	Depth
BLX42NTE	42"	38 3/16"	15 3/4"
BLX46NTE	46 %"	39 1/16"	18 5⁄16"
BLX56NTE	56"	38 ¹³ / ₁₆ "	18 5/16"



Experience the Power of Fire

Napoleon's Power of Fire research has proved a fireplace can help reduce stress and stimulate your brain.

Scan to learn more about our research and the health benefits of fireplaces.



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8 103 Miller Drive, Crittenden, Kentucky, USA 41030 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3









Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Napoleon is a registered trademark of Wolf Steel Group Inc. EnerGuide - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. AFUE- A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. Steady State - Reflects the highest possible overall heating efficiency.